http: //

Raw material

Print moulds

Printing

Laminating

Drying room

Slitting

Cutting

Packaging

http: // □□□□□□□□□□□□ □□□□□□□□ □□□□□□

□□□□□□□□
□□□□□□□□□ □□□□□□□□ □□□□□□
50 □□□□□□pcs 100 □□pcs □□□□□□/□□□□□□ □□□□□ □□ OPP □□□□ □□ □□□□□□ □□ □ (□□□□□□□□ □□□□ □□□□ □□□□□□) □□□□□□ □□□□□ □□□□□ □□□□□□ □□ □ □□□□□.

□□□□□□
:□□□□□□ □□□□□□ □□□□□□□ □□□□ □□□□□
□□□□□□□ □□□□ □ □□□□ 120 - □□□□ 0.5 Express □□□□□□ □□□□ □□□□□□ □□ □□□□□□□ □□□□□□ □□ □□□□□□□□ □ □□□□□□□ □□□□□□ □□□□ □ □□□□ 400 - □□□□ 120 □□□□□□ □□□□□□ □□ □□□□□□□□ □ □□□□□□ □□□□□ □□ □□□□ □ □□□□ 400 □□□□ □□□□□□ □□□□ □□□□□□ □□□□□ □□□□□□□.

□□□ □□□□□□□□

□□□□ □□□□□ Shenzhen Panxin Industry Co. □ Ltd. □□□□□ □□□□□□ □□□□□ □□ □□□□□□ □ 1999 □□□ □□ □□□□ □□□ 2000 □□ □□□□ □□□ □□□□□□ □□□□□ □□□□ □□□□□ □□□□ .□□□□□□□□□□□ □□□□□□□ □□□□□ □□ □□□□□□ □□□□□ □□□□□□ □ □□□□□□□ □□□□□□ □ □□□□□□□□□□ □□ □□□□□□ □□□□□□ □□□□□ □□□□□□ □ □□□□□ □□□□ □□ □□□□□□□□ □□□□□ □□□□ □ □□□□□□□ □□□□ □□□□ □□□ □□□□□□□□ □ □□□□□□□ □□□□□□□ □□□□□□□□□□ □ □□□□□□□ □□□□□□ □□□□□□□□ □□□□□ □□□□ □□□□□ □ □□□ □□ □□□□ □□ □□ .□□□□□□□□.

□□□□□□□ □□□

EMTEK

Test Report

No. ES150608059CE Date: Jun. 15, 2015 Page 1 of 3

Applicant : SHEN ZHEN PANXIN INDUSTRY CO.,LTD
Address : F1-2, Dawang Industrial Zone, Pinghu Street, Longgang District, Shenzhen,China

Sample Name : plastic rolls
Material : PE
Supplier : Shenzhen Panxin Industry Co.Ltd
Manufacture : Shenzhen Panxin Industry Co.,Ltd
Buyer : Daniel Mehdi Barbel
Destination : U.S.A
Country of Origin : China

Received Date : Jun. 08, 2015
Test Period : Jun. 08, 2015~ Jun. 15, 2015

Test Requested : As requested by client, according to the Food and Drug Administration (FDA) 21 CFR 177.1520, to proceed certain testings for the submitted sample.

Test Results : Please refer to next page (s).

EMTEK

Test Report

No. ES150608059CE Date: Jun. 15, 2015 Page 2 of 3

Executive Summary:

STANDARD	CONCLUSION
Food and Drug Administration (FDA) 21 CFR 177.1520.	PASS

Signed for and on behalf of Shenzhen EMTEK Co., Ltd.

Prepared by: Ren Yanyu, Cream Ren, Report Engineer
Reviewed by: Xu Xiaoqi, Xiaoqi Xu, Technical supervisor
Approved by: U Angle, Jason, Authorized signatory
Jun.15, 2015

EMTEK

Test Report

No. ES150608059CE Date: Jun. 15, 2015 Page 3 of 3

Test Result:

FDA Density and Extraction on Polyethylene(PE) - As specified in FDA 21 CFR 177.1520.

Test Item	Result	MDL	Limit
	Silvery plastic film(inner film)		
Density at 23°C, g/cm³	0.874	/	0.85-1.00
Extractable fraction in n-hexane, w/w%	0.6	0.3	5.5
Soluble fraction in xylene, w/w%	2.4	1.2	11.3

Note: g/cm³ = grams per cubic centimeter % = mass percent
MDL = Method Detection Limit

Sample Photo:

*** End of Report ***

□□□ □□□□□□□

□□□□ □□□□□ Shenzhen Panxin Industry Co. □ Ltd. □□□□□ □□□□□□ □□□□□ □□ □□□□□□ □ 1999 □□□ □□ □□□□ □□□ 2000 □□ □□□□ □□□ □□□□□□ □□□□□ □□□□ □□□□□ □□□□ .□□□□□□□□□□□ □□□□□□□ □□□□□ □□ □□□□□□ □□□□□ □□□□□□ □ □□□□□□□ □□□□□□ □ □□□□□□□□□□ □□ □□□□□□ □□□□□□ □□□□□ □□□□□□ □ □□□□□ □□□□ □□ □□□□□□□□ □□□□□ □□□□ □ □□□□□□□ □□□□ □□□□ □□□ □□□□□□□□ □ □□□□□□□ □□□□□□□ □□□□□□□□□□□ □ □□□□□□□ □□□□□□ □□□□□□□□ □□□□□ □□□□ □□□□□ □ □□□ □□ □□□□ □□ □□ .□□□□□□□.