

المنتجات والخدمات

نحن نقدم مجموعة متنوعة من المنتجات والخدمات التي تلبي احتياجاتكم. نحن ملتزمون بتقديم أعلى جودة وأفضل خدمة عملاء. نحن نقدم منتجاتنا وخدماتنا بأسعار تنافسية. نحن نقدم منتجاتنا وخدماتنا بأسعار تنافسية.

المنتجات والخدمات

المنتجات والخدمات

اسم المنتج	إعادة التدوير القابلة لإعادة التدوير الجانبية مجمعة الوقوف الحقيقية زبلوك مع صمام سستة مسطحة القاع أكياس تغليف حبوب البن
مادة	مادة مغلقة ، حسب حاجة الزبون
الحجم / الشعار	حسب الطلب
سماكة	ميكرون ، حسب الطلب أيضًا 20-200
أسلوب	الحقيقية السفلية المسطحة ، حسب الطلب أيضًا
مطبوعة	نعم ، الطباعة بالحفر
كمية	جهاز كمبيوتر شخصى 10000
سعر الوحدة	(تعتمد على مواصفات حقيبتك. كلما زادت الكمية ، كان السعر أفضل)
المنتجات والخدمات	عالية الدقة JPG CDR PDF AI

المنتجات والخدمات



柑語茶緣®

小青柑

好喝才是硬道理









□□□□□□ □□□□□□

□□□□□□□□ □□□□□□

حزب المواد الخام ، صنع لوحات الطباعة ، الطباعة ، التصفية ، التجفيف ، الحز ، قطع الأكياس ، التعبئة



Raw material



Print moulds



Printing



Laminating



Drying room



Slitting



Cutting



Packaging

		EMTEC
		ANALYSIS BY DRUG MONITORING
Test Report		
No.	ES1900000009CE	Date Jun. 15, 2019 Page 1 of 3
Applicant	SHEN ZHEN FOSHON INDUSTRY CO., LTD	
Address	P1-2, Dawang Industrial Zone, Pinghu Street, Longgang District, Shenzhen, China	
Sample Name	plastic milk	
Material	PE	
Supplier	Shenzhen Foshon Industry Co.Ltd	
Manufacturer	Shenzhen Foshon Industry Co.Ltd	
Buyer	Daxin Mohd Bariff	
Destination	U.S.A.	
Country of Origin	China	
Received Date	Jun. 08, 2019	
Test Period	Jun. 08, 2019-Jun. 16, 2019	
Test Requested	As requested by client, according to the Food and Drug Administration (FDA) 21 CFR 177.152(d), to proceed certain testings for the submitted sample.	
Test Results	Please refer to next page (x).	

Test Report	
No. E3-100000002 Executive Summary STANDARD Food and Drug Administration (FDA) 21 CFR 101.1620	Date: Jun 15, 2015 Page 2 of 3 CONCLUSION PASS
Prepared by <i>[Signature]</i> Ren Yang Cream Ren Report Engineer Reviewed by <i>[Signature]</i> Xu Xiang Xiang Xu Technical supervisor Signed for and on behalf of Shenzhen EMTEK Co., Ltd. Approved by <i>[Signature]</i> Li Anli Jiean Authorized signatory Jun 15, 2015	

EMTEK
ANALYTICAL INSTRUMENTS

Test Report

No. ESI10608059C

Date: Jun. 15, 2015

Page 3 of 3

Test Result:

PSA Density and Extraction on Polyethylene(PE) - As specified in PSA 21 CFR 177.152D.

Test Item	Result	MDL	Limit
	Silvery plastic film container film		
Density at 23°C, g/cm ³	0.974	1	0.85-1.00
Extractable fraction in n-hexane, wt-%	0.6	0.3	5.5
Soluble fraction in acetone, wt-%	2.4	1.2	11.3

Note: g/cm³ = grams per cubic centimeter

% = mass percent

MDL = Method Detection Limit

Sample Photo

*** End of Report ***

This Test Report was prepared by the laboratory personnel who performed the test. It is intended for the use of the customer and is not to be used for any other purpose. The results are based on the information provided by the customer and are subject to change if new information is received. The laboratory does not accept responsibility for the accuracy of the results if the customer provides incorrect information. The laboratory is not responsible for the results of tests performed on samples that are not representative of the lot from which they were taken. The laboratory is not responsible for the results of tests performed on samples that are not properly stored or handled. The laboratory is not responsible for the results of tests performed on samples that are not properly labeled. The laboratory is not responsible for the results of tests performed on samples that are not properly identified. The laboratory is not responsible for the results of tests performed on samples that are not properly documented. The laboratory is not responsible for the results of tests performed on samples that are not properly stored or handled. The laboratory is not responsible for the results of tests performed on samples that are not properly labeled. The laboratory is not responsible for the results of tests performed on samples that are not properly identified. The laboratory is not responsible for the results of tests performed on samples that are not properly documented.

--	--	--	--	--	--	--	--	--



1. 如何 選擇 合適 的 函 數

10000 pcs-50000pcs

2. 〇〇〇〇〇〇〇 〇〇 〇〇

□□□□ □□ □□□ □□□ □□□ 18 □□□ 15 □□ :□.

3. □□□□□□□□ □□□□□ □□□□□ □□□□□ □□□□ □□

0000000 000000 00000 0000 000000 0 000000 00 0000 000000 00000000 00000 0000 :0.

□□□□□□ □□□ □□□ □□□□□□□ □□□□□ □□□ □□□□□.

4. □□□□□ □□□□ □□ □□

[illegible]

□□□□□□□□ □□ □□□□□□ □□□□□□ □□□ □□□□□□ □ □□□□□ □□□□.

□□□□□□ □□□□□□ □□□□ □ □□□ □□ □□□□□□ □ □□□□□ □□□□□□.

[illegible]

5. لتصميم العمل الفني ، ما هو نوع التنسيق المتاح لك؟

ج: طالما أنه قابل للتحرير ، PDF أو CDR أو AI (Adobe Illustrator) .
أبيض + لون بانثون + CMYK يمكن أن يكون اللون ، CMYK نحن نستخدم نمط
إذا كنت لا تزال لا تنشئ عملاً فينًا ، فيمكننا تقديم نموذج فارغ لك لتصميمه

6. □□□□ □□□□

ඔබගේම මුදල් ඔබගේම ආරක්ෂාවට 15 වැනි වරක් ඔබගේම ආරක්ෂාවට ඔබගේම මුදල් ඔබගේම ආරක්ෂාවට :
 ඔබගේම මුදල් ඔබගේම ආරක්ෂාවට .ඔබගේම මුදල් ඔබගේම ආරක්ෂාවට ඔබගේම මුදල් ඔබගේම ආරක්ෂාවට .ඔබගේම මුදල් ඔබගේම ආරක්ෂාවට
 ඔබගේම මුදල් ඔබගේම ආරක්ෂාවට ඔබගේම මුදල් ඔබගේම ආරක්ෂාවට!

□□□□ □□□□ □□ □□□□ □□□□ □ □□□□□□□□□ □□□□!