[□□□□□□□ □□□□□□ □□□□□□ □□□□□]

□□□□ □□□□□□ □□□□□□□□□□ □□□□□ □□□□□ □□□□□□□□□□ □□□□ □□□□□□ □□□□□□□□□□ □□□□□□ □□□□□ □□□□ □□□□□□ □□□□ □□□□□ □□□□□ □□□□□□□

□□□□□□□ □□ □□□ □□□ □□□ □□□□□□□□ □□□□□□ □ □□□□□ □ □□□□□ □ □□□□□□□ □ □□□□□□ □ □□□□□ □□□□□□ □□ □□□□□□□□□□□ □□□□□.

□□□□□□ □□□

□□□□□□□ □□□

اسم المنتج	□□□□□□□ □□□□□□ □□□ □□□□□□□ □□□□□□ □□□□□□□ □□□□□ □□□ □□□□ □□□□□ □□□□□ □□□□ □□□□□
مادة	مادة مغلفة ، حسب حاجة الزبون
الحجم / الشعار	حسب الطلب
سماكة	20-200 ميكرون ، حسب الطلب أيضًا
أسلوب	الوقوف الحقيبة ، أيضا حسب الطلب
مطبعة	نعم ، الطباعة بالحفر
كمية	10000 جهاز كمبيوتر شخصى
سعر الوحده	(تعتمد على مواصفات حقيبتك. (كلما زادت الكمية ، كان السعر أفضل
□□□□□□□ □□□	AI □□ PDF □□ CDR □□ JPG عالية الدقة

[□□□□□□□ □□□□ □□□□ □□□□□]

Nature's
treasure foods
nosh
Snack Bites
Choco | Coconut
Nature's
treasure foods
nosh
Snack Bites
Peanut | Peanut Butter | Sea Salt

粤
从此处开启!
产品以实物为准
和道家
牛肉干
柔软有劲 | 越嚼越香
广式香腸
肥瘦均匀 | 香甜可口

La Hylia
PREMIUM
SWISS WEED
20.- | 2,2 gr.
PITBULL
CBD 25-
Rauchen ist tödlich
Il fumo uccide
Fumer tue
La Hylia
PREMIUM
SWISS WEED
10.- | 5 gr.
SWISSBUSH
OUTDOOR
CBD 15%
Rauchen ist tödlich
Il fumo uccide
Fumer tue

毛记
给孩子吃点儿好的
WOW
MADE IN CHINA MADE FOR PETS

KEEP OUT OF REACH OF CHILDREN / TENIR HORS DE LA PORTÉE DES ENFANTS
KEEP OUT OF REACH OF CHILDREN / TENIR HORS DE LA PORTÉE DES ENFANTS

□□□□□□□ □□□□□

□□□□□□□ □□□□□

حجز المواد الخام ، صنع لوحات الطباعة ، الطباعة ، التصفيح ، التجفيف ، الحز ، قطع الأكياس ، التعبئة

Raw material

Print moulds

Printing

Laminating

Drying room

Slitting

Cutting

Packaging

□□□□□□□□□ □□□□□□□□□

□□□□□□□□

□□□□□□□□□ □□□□□□□□ □□□□□

□□□□□ □□ □ □□□□ □□□ □□ □□□□ □□ □ (□□□□□ □□□ □□□ □□□□□) □□□□□ □□□□ □□ □□□□ 200 □□ □□□□ 100 □□□□□
□

توصيل

□□□□□ □□□□□ □□□□□□ □□□ □□□□:

0.5 □□□□□ □□□ □□□□□ □□ □□□□□□ □□□□□ □ □□□ 120 - □□□
□□□ □□□□□ □□ □□□□□□□□ □ □□□□ □□□□ □□ □□□□□ □ □□□ 400 - □□□ 120
□□□□□□ □□□□□□□ □□ □□□□□□□□ □ □□□□□ □□□□ □□ □□□□□ □ □□□ 400 □□□

□□□□ □□□ □□□□□ □□□□ □□□□□□.

□□□ □□□□□□□

معلومات عنا

□□□□ Shenzhen Panxin Industry Co.□ Ltd. □□□□□ □□□□□□ □□□□□ □□ □□□□□□ □ 1999 □□ □□□□□ 2000 □□ □□□□ □□□ □□□□□□ □□□□□ □□□□ □□□□□ □□□□ .□□□□□□□□□□□□ □□□□□□□ □□□□□ □□ □□□□□□ □ □□□□□□□□□□ □□□□□□ □□□□ □□□□□□ □□□ □□□□□□ □□□□□ □□□□□□ □ □□□□□ □□□□ □□ □□□□ □□□ □□□□□ □□□□ □□□□ □□□ □□□□□□□□ □ □□□□□ □□□□□ □□□□□□□□□□□ □□□□□ □□□ □□□□□□ □ □□□□□ □□□□□□ □□□□□□ □□□□□□□□ □□□□□ □□□□ □□□□□ □ □□□ □□□ □□□□□ .□□□□ □□□□□ □□□□□ □□□□ □.

عرض الشهادة

EMTEK

Test Report

No. ES150608059CE Date: Jun. 15, 2015 Page 1 of 3

Applicant	SHEN ZHEN PANXIN INDUSTRY CO.,LTD
Address	F1-2, Dawang Industrial Zone, Pinghu Street, Longgang District, Shenzhen,China
Sample Name	plastic rolls
Material	PE
Supplier	Shenzhen Panxin Industry Co.Ltd
Manufacture	Shenzhen Panxin Industry Co.,Ltd
Buyer	Daniel Mahdi Bartlell
Destination	U.S.A
Country of Origin	China
Received Date	Jun. 08, 2015
Test Period	Jun. 08, 2015~ Jun. 15, 2015
Test Requested	As requested by client, according to the Food and Drug Administration (FDA) 21 CFR 177.1520, to proceed certain testings for the submitted sample.
Test Results	Please refer to next page (s).

EMTEK

Test Report

No. ES150608059CE Date: Jun. 15, 2015 Page 2 of 3

Executive Summary:

STANDARD	CONCLUSION
Food and Drug Administration (FDA) 21 CFR 177.1520.	PASS

Signed for and on behalf of Shenzhen EMTEK Co., Ltd.

Prepared by: Ren Yanqiu, Cream Ren, Report Engineer

Reviewed by: Ku Xiaoqi, Xiaoqi Xu, Technical supervisor

Approved by: Li Jiajin, Jason, Authorized signatory, Jun.15, 2015

EMTEK

Test Report

No. ES150608059CE Date: Jun. 15, 2015 Page 3 of 3

Test Result:

FDA Density and Extraction on Polyethylene(PE) - As specified in FDA 21 CFR 177.1520.

Test Item	Result	MDL	Limit
	Silvery plastic film(inner film)		
Density at 23°C, g/cm³	0.874	/	0.85-1.00
Extractable fraction in n-hexane, w/w%	0.6	0.3	5.5
Soluble fraction in xylene, w/w%	2.4	1.2	11.3

Note: g/cm³ = grams per cubic centimeter % = mass percent
MDL = Method Detection Limit

Sample Photo:

ES150608059C

*** End of Report ***

□□□□□□□□□□

□□□□□□□□□□

1. □□□ □□□□□ □□□ □□ □□

10000 □□□□ □□ □□□ □□ :□pcs-50000pcs □□□□□□ □□□□□ □□□ □□□□□□□.

2. □□□□□□□ □□ □□

□□□□ □□ □□□ □□□ □□□ 18 □□□ 15 □□ :□.

3. □□□□□□□□ □□□□□ □□□□□ □□□□□ □□□□ □□

□□□□□□□ □□□□□ □□□□ □□□ □□□□□ □ □□□□□ □□ □□□ □□□□□ □□□□□□□ □□□□ □□□ :□.

□□□□□□□ □□□ □□□ □□□□□□□ □□□□□ □□□ □□□□□.

4. □□□□□□ □□□□ □□ □□

□□□□□ □□□□□□ □□□□□□ □□□□ □□□□□□ □□□□□ □□□□□ □□□□□ □□□□□□ □ □□□ :□.

□□□□□□□□□□ □□ □□□□□□□ □□□□□□□ □□□ □□□□□□ □ □□□□□ □□□□.

□□□□□□□ □□□□□□□ □□□□ □□ □□□□ □□ □□□□□□ □ □□□□□□ □□□□□□□.

[illegible]

5. لتصميم العمل الفني ، ما هو نوع التنسيق المتاح لك؟

ج: AI (Adobe Illustrator) أو CDR أو PDF ، طالما أنه قابل للتحرير.

نحن نستخدم نمط CMYK ، يمكن أن يكون اللون CMYK + لون بانتون + أبيض.

إذا كنت لا تزال لا تنشئ عملًا فنيًا ، فيمكننا تقديم نموذج فارغ لك لتصميمه.

6. [illegible]

[illegible] 15 [illegible]:

[illegible]!

[illegible]!