

Saniswiss Multi-Purpose Bio-Sanitizer is a versatile antimicrobial for the disinfection and cleaning of all surfaces, skin and air. It does not foam and requires no rinsing. With its patented biotechnology, Saniswiss Bio-Sanitizer is free of alcohol, aldehyde, biguanide, chlorine, phenol, VOC (Volatile Organic Compounds) and other hazardous chemicals or compounds. Safe for babies and adults.

Meets EU standards ENs

ACTIVE AGAINST	ACCORDING TO STANDARDS
BACTERICIDE	EN 1040, EN 1275, EN 13697, EN 13727
FUNGICIDE	EN 16615
YEASTICIDE	EN 1275, EN 13624, EN 13697
MYCOBACTERICIDE	EN 14348
VIRUCIDE	EN 14476 + A1



Origin:

Switzerland

Direction:

Shake well. Spray directly on surface, skin or air. No need to rinse.

Ingredients:

Aqua, N-(3-aminopropyl)-N-dodecylpropane-1, 3- diamine, non ionic surfactant, EDTA and salt

Caution:

Keep out of reach of children. If swallowed, get medical help.

Distributor:

Saniswiss Trading Limited
Flat F, 11/F, Haribest Industrial Building, 45-47 Au Pui Wan St,
Fotan, Hong Kong
Tel: +852 35684743

www.saniswissonline.hk



Sani[®]SWISS
MULTI-PURPOSE
BIO SANITIZER
by Swiss BioTechnology



- + Kill 99.999% of germs
- + Food contact approved
- + Alcohol, VOC free

 PRODUCT OF SWISS

500 ml

sani**SWISS**
MULTI-PURPOSE
BIO SANITIZER
by Swiss BioTechnology



- Kill 99,999% of germs
- Food contact approved
- Alcohol, VOC free

 PRODUCT OF SWISS

500 ml



0000000 000000

00000000 000000

حز المواد الخام ، صنع لوحات الطباعة ، الطباعة ، التصفيح ، التجفيف ، الحز ، قطع الأكياس ، التعبئة



Raw material



Print moulds



Printing



Laminating



Drying room



Slitting



Cutting



Packaging

0000000000 0000000000

00000000

00000000 00000000 000000

[000 00 0000 00 0 (00000000 000 000 000000) 0000 00000 000 / 000000 0000 00 0000 100 00 0000 50 000000
 [



توصيل

000000 000000 00000000 0000 00000:

0.5 000000 0000 000000 00 00000000 000000 0 0000 120 - 0000
 0000 000000 00 0000000000 0 00000 00000 00 000000 0 0000 400 - 0000 120
 00000000 00000000 00 0000000000 0 000000 00000 00 000000 0 0000 400 0000

00000 0000 0000000000 00 000000 000000000.



معلومات عنا

شركة Shenzhen Panxin Industry Co., Ltd. هي شركة تصنيع متخصصة في تصنيع منتجات البلاستيك منذ عام 1999. نحن نقدم منتجاتنا لعملائنا في جميع أنحاء العالم. نحن نستخدم أحدث المعدات والتقنيات لضمان جودة منتجاتنا. نحن نلتزم بالبيئة ونستخدم مواد خام صديقة للبيئة. نحن نقدم خدمة عملاء ممتازة ونسعى إلى تلبية جميع احتياجات عملائنا. نحن نؤمن بأن الجودة هي الأساس لنجاحنا. نحن نستخدم SGS كطرف ثالث لضمان جودة منتجاتنا. نحن نلتزم بالشفافية ونقدم تقارير SGS لجميع عملائنا. نحن نؤمن بأن الشفافية هي الأساس لنجاحنا. نحن نستخدم SGS كطرف ثالث لضمان جودة منتجاتنا. نحن نلتزم بالشفافية ونقدم تقارير SGS لجميع عملائنا.

عرض الشهادة



EMTEK

Test Report

No. ES150608059C Date: Jun. 15, 2015 Page 1 of 3

Applicant

SHEN ZHEN PANON INDUSTRY CO., LTD.

Address

F1-2, Daxing Industrial Zone, Pinghu Street, Longgang District, Shenzhen, China

Sample Name

plastic bottle

Material

PE

Supplier

Shenzhen Panon Industry Co., Ltd

Manufacturer

Shenzhen Panon Industry Co., Ltd

Buyer

Charles Ishidori Bartlett

Destination

U.S.A.

Country of Origin

China

Received Date

Jun. 08, 2015

Test Period

Jun. 08, 2015–Jun. 15, 2015

Test Requested

As requested by client, according to the Food and Drug Administration (FDA) 21 CFR 177.1520, to processed certain testings for the submitted sample

Test Results

Please refer to next page (s).

EMTEK

Test Report

No. ES150608059C Date: Jun. 15, 2015 Page 2 of 3

Executive Summary

STANDARD

CONCLUSION

Food and Drug Administration (FDA) 21 CFR 177.1520

PASS

Prepared by

Ren Yanyu

Report Engineer

Reviewed by

Xiao Kiang

Technical supervisor

Approved by

Li Jiahui

Authorized signatory

Jun. 15, 2015

EMTEK

Test Report

No. ES150608059C Date: Jun. 15, 2015 Page 3 of 3

Test Result:

FDA Density and Extraction on Polyethylene(PE) – As specified in FDA 21 CFR 177.1520:

Test Item	Result	MDL	Limit
Density at 23°C, g/cm ³	0.974	1	0.85-1.00
Extractable fraction in n-hexane, wt/%	0.6	0.5	5.5
Soluble fraction in xylene, wt/%	2.4	1.2	11.3

Note: g/cm³ = grams per cubic centimeter % = mass percent
MDL = Method Detection Limit

Sample Photo

ES150608059C

*** End of Report ***

XXXXXXXXXX

XXXXXXXXXXXX

1. XXXX XXXXXX XXX XXX

10000 XXXX XXX XXX XXX :pcs-50000pcs XXXXXX XXXXXX XXX XXXXXXXX.

2. XXXXXXXX XXX XXX

XXXXX XXX XXX XXX XXX 18 XXX 15 XXX :.

3. XXXXXXXXXX XXXXXXXXXX XXXXXX XXX XXXXXXX XXX XXXXXX XXX

XXXXXXXXXX XXXXXX XXXXXX XXX XXXXXXX XXX XXXXXX XXX XXXXXXX XXXXXXXXXX XXXXXX XXXX :.

XXXXXXXXXX XXX XXX XXXXXXXXXX XXXXXXX XXX XXXXXXX.

4. XXXXXXXX XXXXXX XXX XXX

XXXXXXXX XXXXXXXXXX XXXXXXX XXXXXX XXXXXXX XXXXXXX XXXXXXX XXXXXXX XXXXXXX XXXX :.

XXXXXXXXXXXXXXX XXX XXXXXXXXXX XXXXXXXXXX XXX XXXXXXXXXX XXX XXXXXXX XXXXXXX.

XXXXXXXXXXXX XXXXXXXXXX XXXXXX XXX XXXXXX XXX XXXXXXXXXX XXX XXXXXXXXXX XXXXXXXXXX.

1. 圖檔格式與命名規則
 所有圖檔必須採用 RGB 色彩模式，並儲存為高解析度的 PDF 檔案。圖檔命名應清晰簡潔，包含圖示名稱與版本號碼。

5. 圖檔輸出與交付標準

圖檔輸出時，請確保所有圖層均已命名，並輸出為 AI (Adobe Illustrator) 或 CDR 格式，以便後續修改。

所有圖檔必須採用 CMYK 色彩模式，並輸出為 300 DPI 的解析度。

圖檔交付時，請附上完整的圖層說明文件，以便後續修改。

6. 圖檔審核與交付

圖檔交付前，請進行最終審核，確保所有圖層均已命名，並輸出為高解析度的 PDF 檔案。圖檔交付後，請保留原始圖檔，以便後續修改。

圖檔交付後，請保留原始圖檔，以便後續修改。