





项目	单位			
	万吨	亩	亩	亩
粮食	25000	10000	10000	10000
棉花	400	10000	10000	10000
油料	1000	10000	10000	10000
糖料	1000	10000	10000	10000
蔬菜	10000	10000	10000	10000
水果	10000	10000	10000	10000
其他	10000	10000	10000	10000



□□□□□□ □□□□□□

□□□□□□□□ □□□□□□

حزب المواد الخام ، صنع لوحات الطباعة ، الطباعة ، التصفية ، التجفيف ، الحز ، قطع الأكياس ، التعبئة



Raw material



Print moulds



Printing



Laminating



Drying room



Slitting



Cutting



Packaging

0000000000 0000000000

00000000

00000000 00000000 000000

[000 00 0000 00 0 (00000000 000 000 000000) 0000 00000 000 / 000000 0000 00 0000 100 00 0000 50 000000
 [



توصيل

000000 000000 00000000 0000 00000:

0.5 000000 0000 000000 00 00000000 000000 0 0000 120 - 0000
 0000 000000 00 0000000000 0 00000 00000 00 000000 0 0000 400 - 0000 120
 00000000 00000000 00 0000000000 0 000000 00000 00 000000 0 0000 400 0000

00000 0000 00000000 00000 00000000.

EMTEK

EMTEK

EMTEK

Test Report

Test Report

Test Report

No. ES150608059C

Date: Jun. 15, 2015

Page 1 of 3

Applicant

Address

Sample Name

Material

Supplier

Manufacturer

Buyer

Destination

Country of Origin

Received Date

Test Period

Test Requested

Test Results

SHEN ZHEN PANON INDUSTRY CO., LTD.

F1-2, Daxing Industrial Zone, Pinghu Street, Longgang District, Shenzhen, China

plastic bottle

PE

Shenzhen Panon Industry Co., Ltd.

Shenzhen Panon Industry Co., Ltd.

Charles (John) Bartel

U.S.A.

China

Jun. 08, 2015

Jun. 08, 2015 - Jun. 15, 2015

As requested by client, according to the Food and Drug Administration (FDA) 21 CFR 177.1520, to process certain settings for the submitted sample.

Please refer to next page (s).

EMTEK

EMTEK

EMTEK

Test Report

Test Report

Test Report

No. ES150608059C

Date: Jun. 15, 2015

Page 2 of 3

Executive Summary

STANDARD

CONCLUSION

Food and Drug Administration (FDA) 21 CFR 177.1520.

PASS

Prepared by

Reviewed by

Approved by

Ran Yang

Xu Kang

Li Jiahui

Report Engineer

Technical supervisor

Authorized signatory

Jun. 15, 2015

EMTEK

EMTEK

EMTEK

Test Report

Test Report

Test Report

No. ES150608059C

Date: Jun. 15, 2015

Page 3 of 3

Test Result:

FDA Density and Extraction on Polyethylene(PE) - As specified in FDA 21 CFR 177.1520.

Test Item	Result	MDL	Limit
Density at 23°C, g/cm ³	0.974	1	0.85-1.00
Extractable fraction in n-hexane, wt/%	0.6	0.5	5.5
Soluble fraction in xylene, wt/%	2.4	1.2	11.3

Note: g/cm³ = grams per cubic centimeter

MDL = Method Detection Limit

% = mass percent

Sample Photo

ES150608059C

*** End of Report ***

XXXXXXXXXX

XXXXXXXXXXXX

1. XXXX XXXXXX XXX XXX

10000 XXXX XXX XXX :PCS-50000PCS XXXXXX XXXXXX XXX XXXXXXXX.

2. XXXXXXXX XXX XXX

XXXX XXX XXX XXX XXX 18 XXX 15 XXX :.

3. XXXXXXXX XXXXXXXX XXXX XXX XXXXXXX XXX XXXXX XXX

XXXXXXXXXX XXXXXX XXXX XXX XXXXXX X XXXXXX XXX XXX XXXXXX XXXXXXXX XXXX XXX :.

XXXXXXXXXX XXX XXX XXXXXXXX XXXXXX XXX XXXXXX.

4. XXXXXXXX XXXXX XXX XXX

XXXXXX XXXXXXXX XXXXXXXX XXXXX XXXXXXX XXXXXX XXXXXX XXXXXXX XXX XXX :.

XXXXXXXXXXXX XXX XXXXXXXX XXXXXXXX XXX XXXXXXX X XXXXXX XXXX.

XXXXXXXXXX XXXXXXXX XXXXX XXX XXXXX XXX XXXXXXX X XXXXXXX XXXXXXXX.

1. 圖檔格式與命名規則
 所有圖檔必須採用 RGB 色彩模式，並儲存為高解析度的 PDF 檔案。圖檔命名應清晰簡潔，包含圖示名稱與版本號碼。例如：「主圖_圖示名稱_V1.0」。

5. 圖檔輸出與交付標準

圖檔輸出時，請確保所有圖層均已命名，並使用正確的顏色模式（CMYK 或 RGB）。

圖檔輸出時，請確保所有圖層均已命名，並使用正確的顏色模式（CMYK 或 RGB）。

圖檔輸出時，請確保所有圖層均已命名，並使用正確的顏色模式（CMYK 或 RGB）。

6. 圖檔交付與審核

圖檔交付時，請確保所有圖層均已命名，並使用正確的顏色模式（CMYK 或 RGB）。

圖檔交付時，請確保所有圖層均已命名，並使用正確的顏色模式（CMYK 或 RGB）。