

<http://www.ck12.org>



Raw material



Print moulds



Printing



Laminating



Drying room



Slitting



Cutting



Packaging

<http://www.oxfordjournals.org/>

5

□□□□□□

[illegible]

11

□ □ □ □ □ □ □ □ □ □ □ □ □ □

0.5kg -120 kg

120kg -400kg

400kg□□□□□□□□□□□□□□□□

[illegible]



0000000

Shenzhen Panxin Industry Co., Ltd. 1999 2,000

00000

EMTEK

Test Report

No. ES150608059C Date: Jun. 15, 2015 Page 1 of 3

Applicant

Address

Sample Name

Material

Supplier

Manufacturer

Buyer

Destination

Country of Origin

Received Date

Test Period

Test Requested

Test Results

SHENZHEN PANXIN INDUSTRY CO., LTD.

F1-2, Dawang Industrial Zone, Pinghu Street, Longgang District, Shenzhen, China

plastic tube

PE

Shenzhen Panxin Industry Co., Ltd.

Shenzhen Panxin Industry Co., Ltd.

Daniel Mohd Barid

U.S.A.

China

Jun. 08, 2015

Jun. 08, 2015 - Jun. 15, 2015

As requested by client, according to the Food and Drug Administration (FDA) 21 CFR 177.1520, to proceed certain testing for the submitted sample.

Please refer to next page (s).

EMTEK

Test Report

No. ES150608059C Date: Jun. 15, 2015 Page 2 of 3

Executive Summary

STANDARD

CONCLUSION

Food and Drug Administration (FDA) 21 CFR 177.1520

PASS

Signed for and on behalf of

Shenzhen EMTEK Co., Ltd.

Prepared by

Reviewed by

Approved by

Ren Yanyu

Chen Ren

Report Engineer

Xiao Qi Xie

Xiang Xu

Technical supervisor

Li Jiahui

Jason

Authorized signatory

Jun. 15, 2015

EMTEK

Test Report

No. ES150608059C Date: Jun. 15, 2015 Page 3 of 3

Test Result:

FDA Density and Extraction on Polyethylene(PE) - As specified in FDA 21 CFR 177.1520.

Test Item	Result	MDL	Limit
Density at 23°C, g/cm ³	0.974	7	0.85-1.00
Extraction fraction in n-hexane, wt/%	0.0	0.2	5.5
Soluble fraction in xylene, wt/%	2.8	1.2	11.3

Note: g/cm³ = grams per cubic centimeter

MDL = Method Detection Limit

% = mass percent

Sample Photo

ES150608059C

*** End of Report ***

Shenzhen Panxin Industry Co.,Ltd于1999年12月18日在深圳市市场监督管理局注册成立，注册资本为2,000万元人民币，主要从事计算机软硬件的研发、生产和销售。