



*chef
preserve*

REUSABLE & RESEALABLE BAGS

- ✓ Dishwasher-Safe
- ✓ Freezer-Safe
- ✓ Microwave-Safe



SET INCLUDES 30 MEDIUM BAGS:

*DEVICE NOT INCLUDED



S

8x10 in



M

10x11 in



L

12x13 in

*chef
preserve*

THE BAGS WORK WITH CHEF PRESERVE VACUUM SEALER*

Compact.
Powerful.
Easy To Use.



***DEVICE NOT INCLUDED**

EASY TO USE:

1. Put your food inside the bag

2. Zip it.

***DEVICE NOT INCLUDED**

3. Click the button to start

4. The device auto shuts-off
when done

<http://www.cheftomato.com>

0000000000

000000=000000=00=00000=00=0000=00000=00000



Raw material



Print moulds



Printing



Laminating



Drying room



Slitting



Cutting



Packaging

<http://www.opp.com.tw/>

OPP

OPP

1/1 OPP 50 100pcs 1

OPP



OPP

OPP

0.5kg -120 kg

120kg -400kg

400kg

OPP

		 EMTEK EVIDENCE TO THE WORLD
Test Report		
No. E015000009002	Date Jan. 15, 2015	Page 1 of 3
Applicant Address	SHEN ZHEN PANSON INDUSTRY CO., LTD. P14-2, Szuwang Industrial Zone, Pinghu Street, Longgang District, Shenzhen, China	
Sample Name	plastic table	
Material	PE	
Supplier	Shenzhen Pansun Industry Co., Ltd	
Manufacturer	Shenzhen Pansun Industry Co., Ltd	
Buyer	David Mafud Bartal	
Destination	U.S.A	
Country of Origin	China	
Received Date	Jan. 08, 2015	
Test Period	Jan. 08, 2015 - Jan. 15, 2015	
Test Requested	As requested by client, according to the Food and Drug Administration (FDA) 21 CFR 177.1520, to processed certain toolings for the submitted sample.	
Test Results	Please refer to next page (s).	

		
Test Report		
No. E316080806CE	Date Jun 15, 2015	Page 2 of 3
Executive Summary	STANDARD	CONCLUSION
Pesticide and Drug Administration (PDCA) / CFN 177 / 3520		PASS
Prepared by  Ren Yanyan Green Res- Report Engineer Reviewed by  Xiao Qi Xue Kwang Ku Technical supervisor Signed for and on behalf of Shenzhen EMTEK Co., Ltd. Approved by  Li Jiahui Sales Authorized signatory Jun 15, 2015		

EMTEK
BIOFILM FILM WORLD

Test Report

No. ESW-000000000000 Date: Jan. 15, 2015 Page 1 of 3

Test Result:

FOA Density and Extraction on Polyethylene(PE) - As specified in FDA 21 CFR 177.1520.

Feed Item	Result	MDL	Limit
	Bleach solution (Resonance film)		
Density at 23°C, g/cm ³	0.974	/	0.85-1.00
Extractable fraction in hexane, wt-%	0.0	0.1	5.5
Soluble fraction in acetone, wt-%	2.4	1.2	11.3

Note: g/cm³ = grams per cubic centimeter
MDL = Method Detection Limit % = mass percent

Sample Photo

*** End of Report ***

□ □ □ □ □ □

1□□□□MOQ□□□□□

A MOQ 10,000pcs-50,000pcs

2. □□□□□□□□□□

A 15 18

3. □□□□□□□□□□□□□□□□□□□□

A

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

4□□□□□□□□□□□□□□□□

[illegible][illegible][illegible][illegible]

□ □ □ □ □ □ □ □

5|

A AI Adobe Illustrator CDR PDF

[illegible][illegible]

6□□□□□□

A 15

[illegible][illegible]