

<http://www.ck12.org>

Unit 1: Introduction

Unit 1: Introduction ⇒ Unit 2: The Cell ⇒ Unit 3: Photosynthesis ⇒ Unit 4: Cellular Respiration ⇒ Unit 5: The Immune System ⇒ Unit 6: The Nervous System ⇒ Unit 7: The Endocrine System ⇒ Unit 8: The Reproductive System ⇒ Unit 9: The Human Body



Raw material



Print moulds



Printing



Laminating



Drying room



Slitting



Cutting



Packaging

<http://www.opp.com.tw>

OPP

OPP OPP

OPP OPP OPP (OPP OPP OPP) 50pc 100pcs OPP OPP OPP OPP OPP OPP OPP.



OPP

OPP OPP OPP OPP OPP.

0.5kg -120kg, OPP OPP OPP Express OPP OPP

120kg -400kg, OPP OPP, OPP OPP OPP

400kg OPP, OPP OPP, OPP OPP OPP

OPP OPP OPP OPP OPP.



0000

Shenzhen Panxin Industry Co., Ltd. 1999 年 12 月 1 日 在 中 国 香 港 成 立 ， 公 司 主 营 各 种 塑 料 包 装 材 料 ， 如 瓶 盖 、 瓶 口 、 瓶 身 、 瓶 底 、 瓶 塞 、 瓶 盖 、 瓶 口 、 瓶 身 、 瓶 底 、 瓶 塞 等 。 公 司 拥 有 2,000 多 名 员 工 ， 总 公 司 面 积 达 20,000 平 方 米 。 " 公 司 拥 有 一 流 的 生 产 设 备 和 技 术 人 员 ， 能 够 为 客 户 提 供 最 佳 的 服 务 。

0000

EMTEK

Test Report

No. ES150608059C Date: Jun. 15, 2015 Page 1 of 3

Applicant

Address

Sample Name

Material

Supplier

Manufacturer

Buyer

Destination

Country of Origin

Received Date

Test Period

Test Requested

Test Results

SHENZHEN PANXIN INDUSTRY CO., LTD.

F1-2, Gaoxing Industrial Zone, Pinghu Street, Longgang District, Shenzhen, China

plastic bottle

PE

Shenzhen Panxin Industry Co., Ltd.

Shenzhen Panxin Industry Co., Ltd.

David Mendi Barlet

U.S.A

China

Jun. 08, 2015

Jun. 08, 2015 - Jun. 15, 2015

As requested by client, according to the Food and Drug Administration (FDA) 21 CFR 177.1520, to proceed certain testing for the submitted sample.

Please refer to next page (2).

EMTEK

Test Report

No. ES150608059C Date: Jun. 15, 2015 Page 2 of 3

Executive Summary

STANDARD

CONCLUSION

Food and Drug Administration (FDA) 21 CFR 177.1520.

PASS

Signed for and on behalf of

Shenzhen EMTEK Co., Ltd.

Prepared by

Reviewed by

Approved by

Ran Yanqin

Chen Ren

Report Engineer

Ku Xiang

Xiang Ku

Technical supervisor

U-Auth

Jiamin

Authorized signatory

Jun. 15, 2015

EMTEK

Test Report

No. ES150608059C Date: Jun. 15, 2015 Page 1 of 3

Test Result:

FDA Density and Extraction on Polyethylene(PE) - As specified in FDA 21 CFR 177.1520.

Test Item	Result	MDL	Limit
Density at 23°C, g/cm ³	0.974	?	0.85-1.00
Extraction fraction in n-hexane, wt/%	0.0	0.1	0.5
Soluble fraction in acetone, wt/%	2.4	1.2	11.3

Note: g/cm³ = grams per cubic centimeter

MDL = Method Detection Limit

% = mass percent

Sample Photo:

ES150608059C

*** End of Report ***

FAQ

1. 請問 MOQ 是多少?

A : MOQ 是 10,000pcs-50,000pc。 價格 會 隨 數量 而 變。

2. 貨 到 期 間 是 多 久?

A : 15-18 天 內 可 以 到 貨。

3. 貨 到 後 有 無 驗 收 期?

A : 貨 到 後 有 30 天 內 驗 收 期。

如 有 缺 損 或 其 他 問 題 請 儘 快 通 知。

4. 貨 到 後 有 無 退 換 期?

A : 有 退 換 期。 貨 到 後 有 30 天 內 退 換 期。

如 有 缺 損 或 其 他 問 題 請 儘 快 通 知。

如 有 缺 損 或 其 他 問 題 請 儘 快 通 知。

如 有 缺 損 或 其 他 問 題 請 儘 快 通 知。

5. 貨 到 後 有 無 驗 收 期?

A : 貨 到 後 有 30 天 內 驗 收 期。

如 有 缺 損 或 其 他 問 題 請 儘 快 通 知。

如 有 缺 損 或 其 他 問 題 請 儘 快 通 知。

6. 貨 到 期 間 是 多 久?

A : 貨 到 15 天 內 可 以 到 貨。

如 有 缺 損 或 其 他 問 題 請 儘 快 通 知。

如 有 缺 損 或 其 他 問 題 請 儘 快 通 知。